

WHAT IS CLAIMED IS:

- 1 1. A method for acquiring information associated with a location,
2 comprising:
 - 3 searching a network for sensor measurements associated with a location;
 - 4 and
 - 5 acquiring from the network a plurality of sensor measurements associated
6 with the location,
 - 7 wherein the identified plurality of sensor measurements are
8 measurements obtained by a plurality of entities.
- 1 2. A method according to Claim 1, further comprising:
 - 2 storing the plurality of sensor measurements in association with the
3 location.
- 1 3. A method according to Claim 1, further comprising:
 - 2 receiving a request to obtain information associated with the location.
- 1 4. A method according to Claim 3, wherein the acquiring step comprises:
 - 2 identifying a stored sensor measurement associated with the location;
 - 3 determining if the stored sensor measurement satisfies a timeframe
4 requirement; and
 - 5 if the stored sensor measurement does not satisfy the timeframe
6 requirement, acquiring a sensor measurement satisfying the timeframe
7 requirement.
- 1 5. A method according to Claim 4, wherein the step of acquiring a sensor
2 measurement satisfying the timeframe requirement comprises:
 - 3 identifying a pointer associated with the location; and

4 acquiring a sensor measurement satisfying the timeframe requirement
5 based on the pointer.

1 6. A method according to Claim 5, wherein the pointer is associated with
2 the stored sensor measurement.

1 7. A method according to Claim 1, further comprising:
2 creating a representational view of the location based on the acquired
3 plurality of sensor measurements.

1 8. A method according to Claim 7, further comprising:
2 receiving information representing the location from a user; and
3 presenting the representational view to the user.

1 9. A method according to Claim 8, wherein the representational view is
2 presented in accordance with preferences associated with the user.

1 10. A method according to Claim 1, wherein the step of acquiring
2 comprises:
3 analyzing a stored data structure comprising a plurality of locations and,
4 associated with each location, pointers for acquiring one or more sensor
5 measurements.

1 11. A method according to Claim 10, further comprising:
2 using pointers associated with the location to acquire the plurality of
3 sensor measurements.

1 12. A method according to Claim 1., wherein the step of acquiring
2 comprises:

3 analyzing a stored data structure comprising a plurality of locations and
4 one or more sensor measurements associated with each location.

1 13. A method according to Claim 1, wherein one or more of the identified
2 plurality of sensor measurements are obtained by mobile sensors that are at
3 some times not associated with the location.

1 14. A medium storing processor-executable process steps to acquire
2 information associated with a location, the process steps comprising:
3 a step to search a network for sensor measurements associated with a
4 location; and
5 a step to acquire from the network a plurality of sensor measurements
6 associated with the location,
7 wherein the identified plurality of sensor measurements are
8 measurements obtained by a plurality of entities.

1 15. A medium according to Claim 14, the process steps further
2 comprising:
3 a step to store the plurality of sensor measurements in association with
4 the location.

1 16. A medium according to Claim 14, the process steps further
2 comprising:
3 a step to receive a request to obtain information associated with the
4 location.

1 17. A medium according to Claim 16, wherein the acquiring step
2 comprises:

3 a step to identify a stored sensor measurement associated with the
4 location;

5 a step to determine if the stored sensor measurement satisfies a
6 timeframe requirement; and

7 if the stored sensor measurement does not satisfy the timeframe
8 requirement, a step to acquire a sensor measurement satisfying the timeframe
9 requirement.

1 18. A medium according to Claim 17, wherein the step to acquire a
2 sensor measurement satisfying the timeframe requirement comprises:

3 a step to identify a pointer associated with the location; and

4 a step to acquire a sensor measurement satisfying the timeframe
5 requirement based on the pointer.

1 19. A medium according to Claim 18, wherein the pointer is associated
2 with the stored sensor measurement.

1 20. A medium according to Claim 14, the process steps further
2 comprising:

3 a step to create a representational view of the location based on the
4 acquired plurality of sensor measurements.

1 21. A medium according to Claim 20, the process steps further
2 comprising:

3 a step to receive information representing the location from a user; and
4 a step to present the representational view to the user.

1 22. A medium according to Claim 21, wherein the representational view is
2 presented in accordance with preferences associated with the user.

1 23. A medium according to Claim 14, wherein the step to acquire
2 comprises:

3 a step to analyze a stored data structure comprising a plurality of locations
4 and, associated with each location, pointers for acquiring one or more sensor
5 measurements.

1 24. A medium according to Claim 23, the process steps further
2 comprising:

3 a step to use pointers associated with the location to acquire the plurality
4 of sensor measurements.

1 25. A medium according to Claim 14, wherein the step to acquire
2 comprises:

3 a step to analyze a stored data structure comprising a plurality of locations
4 and one or more sensor measurements associated with each location.

1 26. A medium according to Claim 14, wherein one or more of the
2 identified plurality of sensor measurements are obtained by mobile sensors that
3 are at some times not associated with the location.

1 27. An apparatus to acquire information associated with a location,
2 comprising:

3 a processor; and

4 a storage device in communication with said processor and storing
5 instructions adapted to be executed by said processor to:

6 search a network for sensor measurements associated with a
7 location; and

8 acquire from the network a plurality of sensor measurements
9 associated with the location,

10 wherein the identified plurality of sensor measurements are
11 measurements obtained by a plurality of entities.

1 28. An apparatus according to Claim 27, wherein the stored instructions
2 comprise instructions adapted to be executed by said processor to:
3 store the plurality of sensor measurements in association with the location.

1 29. An apparatus according to Claim 27, wherein the stored instructions
2 comprise instructions adapted to be executed by said processor to:
3 receive a request to obtain information associated with the location.

1 30. An apparatus according to Claim 29, wherein the stored instructions
2 adapted to be executed by said processor to acquire the plurality of sensor
3 measurements comprise stored instructions adapted to be executed by said
4 processor to:
5 identify a stored sensor measurement associated with the location;
6 determine if the stored sensor measurement satisfies a timeframe
7 requirement; and
8 if the stored sensor measurement does not satisfy the timeframe
9 requirement, acquire a sensor measurement satisfying the timeframe
10 requirement.

1 31. An apparatus according to Claim 30, wherein the stored instructions
2 adapted to be executed by said processor to acquire the sensor measurement
3 comprise stored instructions adapted to be executed by said processor to:
4 identify a pointer associated with the location; and
5 acquire a sensor measurement satisfying the timeframe requirement
6 based on the pointer.

1 32. An apparatus according to Claim 31, wherein the pointer is associated
2 with the stored sensor measurement.

1 33. An apparatus according to Claim 27, wherein the stored instructions
2 comprise stored instructions adapted to be executed by said processor to:
3 create a representational view of the location based on the acquired
4 plurality of sensor measurements.

1 34. An apparatus according to Claim 33, wherein the stored instructions
2 comprise stored instructions adapted to be executed by said processor to:
3 receive information representing the location from a user; and
4 to present the representational view to the user.

1 35. An apparatus according to Claim 34, wherein the representational
2 view is presented in accordance with preferences associated with the user.

1 36. An apparatus according to Claim 27, wherein the stored instructions
2 adapted to be executed by said processor to acquire the plurality of sensor
3 measurements comprise stored instructions adapted to be executed by said
4 processor to:
5 analyze a stored data structure comprising a plurality of locations and,
6 associated with each location, pointers for acquiring one or more sensor
7 measurements.

1 37. An apparatus according to Claim 36, wherein the stored instructions
2 comprise stored instructions adapted to be executed by said processor to:
3 use pointers associated with the location to acquire the plurality of sensor
4 measurements.

1 38. An apparatus according to Claim 27, wherein the stored instructions
2 adapted to be executed by said processor to acquire the plurality of sensor
3 measurements comprise stored instructions adapted to be executed by said
4 processor to:

5 analyze a stored data structure comprising a plurality of locations and one
6 or more sensor measurements associated with each location.

1 39. An apparatus according to Claim 27, wherein one or more of the
2 identified plurality of sensor measurements are obtained by mobile sensors that
3 are at some times not associated with the location.

1 40. A system to acquire location information, comprising:
2 a user device for receiving a location from a user, for transmitting a
3 request to receive information associated with the location, for receiving a
4 representational view of the location, and for presenting the representational view
5 to the user; and
6 a server for receiving the request, for searching a network for sensor
7 measurements associated with the location, for acquiring from the network a
8 plurality of sensor measurements associated with the location, for creating the
9 representational view, and for transmitting the representational view to the user
10 device,

11 wherein the identified plurality of sensor measurements are
12 measurements obtained by a plurality of entities.

1 41. A system according to Claim 40, wherein the server determines
2 whether mobile sensors are located within a threshold proximity of the location
3 and, if so, acquires sensor measurements from the mobile sensors.